



**V LIGHTS LLC**  
LED LIGHTS



## COMPANY STATEMENT

**F**ounded in 2021, V Lights specializes in providing lighting solutions for residential, industrial, commercial, and specialty lighting projects. We provide top lighting solutions by offering our clients a broad line of innovative and high-quality lighting products at affordable prices.

Continued innovation is a core strategic initiative at V Lights and we are committed to sell new products. With a quality management focus we sell products which are DLC, UL EnergyStar, ETL certified. Our green energy products are rebate eligible in the US and we are a preferred trade ally with a multitude of electricity companies across the USA. We pledge to deliver superior customer service by employing and training a team of highly experienced lighting professionals.

With warehouses in Texas. We follow best practice of Inventory management like JIT. We Carry inventory to meet any LED lighting demands your project may have, which makes it easy to get exactly what you need, when you need it. We can provide start to finish lighting consultations and project management or just sell you the individual lights for your project backed by a 5-year warranty on most products. Whatever your project requires we are here to provide you a custom solution that fits your needs.

# TABLE OF CONTENT

## OUTDOOR LIGHTS

CANOPY LIGHT	01
LED FLOOD LIGHT	11
LED FULL CUT-OFF	17
LED GARDEN LIGHT	22
LED LINEAR HIGH BAY LIGHT	26
LED MINI WALL PACK LIGHT	30
LED SEMI CUT-OFF WALL PACK LIGHT	33
LED PARKING LOT LIGHT	38
LED UFO HIGH BAY LIGHT	44

## INDOOR LIGHTS

LED FLUSHMOUNT LIGHT	47
LED INDOOR WALL SCOUNCE	51
LED VANITY LAMP	53
LED OUTDOOR WALL LAMP	62
LED MINI-PENDANT	81
LED VANITY	88
LED CHANDELIER	91
GIMBAL DOWNLIGHT	93
ULTRA SLIM LED PANEL LIGHT	98
LED PAR30	103

LED WALL LIGHT	104
LED DISK LIGHT	107
LED COOLER LIGHT	108
LED T-BAR LIGHT	111
BACK-LIT LED PANEL LIGHT	113
BALLAST COMPATIBLE LIGHT	115
LED INTEGRATED TUBE LIGHT	116
LED TROFFER FIXTURE LIGHT	124
SINGLE PIN LED T8 TUBE LIGHT	127
LED T8 TUBE LIGHT	128

# OUTDOOR LIGHTS



**V LIGHTS LLC**  
LED LIGHTS

# CANOPY LIGHTS





**V LIGHTS LLC**  
LED LIGHTS

# CANOPY LIGHTS

## LED CARAGE LIGHT

35 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-SCP02-35WAANA1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 3900LM

**Input Power:** 35W

**Viewing Angle:** 150°

**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9



**Waterproof Rating:** WET (IP65)



LISTED



### CHART:




**V LIGHTS LLC**  
LED LIGHTS

# CANOPY LIGHTS

## LED CARAGE LIGHT

55 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-SCP02-55WAANA1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 6500LM

**Input Power:** 55W

**Viewing Angle:** 150°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:






# CANOPY LIGHTS

## LED CARAGE LIGHT

75 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-SCP2-75WAAA1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 8800LM

**Input Power:** 75W

**Viewing Angle:** 160°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# CANOPY LIGHTS

## LED CARAGE LIGHT

45 WATTS




### PRODUCT SPECIFICATION:

**Model:** CN301D-45W -SR-BR  
**Color Temperature:** 5000K  
**CRI:** >70  
**Lumen:** 5275 LM  
**Input Power:** 45W  
**Input Voltage:** 100-277Vac 50/60Hz  
**PF:** >0.9  
**Waterproof Rating:** WET (IP65)



### CHART:



# CANOPY LIGHTS

## LED CARAGE LIGHT

70 WATTS



## PRODUCT SPECIFICATION:

**Model:** CN301D-70W -SR-BR

**Color Temperature:** 5000K

**CRI:** >70

**Lumen:** 8140 LM

**Input Power:** 70W


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



## CHART:



# CANOPY LIGHTS

## LED CANOPY LIGHT

150 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-CP3B-150WMASA1-ab

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 18800LM

**Input Power:** 150W

**Viewing Angle:** 120°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# CANOPY LIGHTS

## LED CANOPY LIGHT

150 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-CP-150W-311X-1601

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 17100LM

**Input Power:** 150W

**Viewing Angle:** 110°

**Input Voltage:** 100-277Vac 50/60Hz


**PF:** >0.9

**Waterproof Rating:** WET (IP65)



LISTED

### CHART:



# CANOPY LIGHTS

## LED CANOPY LIGHT

150 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-CP-150W-3421-1602

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 19700LM

**Input Power:** 150W

**Viewing Angle:** 110°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)




### CHART:



# CANOPY LIGHTS

## LED CANOPY LIGHT

240 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-CP-240W-1421-1601

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 32000LM

**Input Power:** 240W

**Viewing Angle:** 110°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# FLOOD LIGHTS



**V LIGHTS LLC**  
LED LIGHTS



# FLOOD LIGHTS

## LED FLOOD LIGHT

50 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-FL06-50WAT1A1-aaK

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 7100LM

**Input Power:** 50W

**Viewing Angle:** 7H7V


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# FLOOD LIGHTS

## LED FLOOD LIGHT

100 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-S-G04-100WAT3A1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 12800LM

**Input Power:** 100W

**Viewing Angle:** 150° - 85° (TYPE III)



**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# FLOOD LIGHTS

## LED FLOOD LIGHT

150 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-S-G04-150WAT3B1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 19200LM

**Input Power:** 150W

**Viewing Angle:** 150° - 85° (TYPE III)



**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# FLOOD LIGHTS

## LED FLOOD LIGHT

240 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-S-G04-240WAT3B1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 30600LM

**Input Power:** 240W

**Viewing Angle:** 150° - 85° (TYPE III)


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# FLOOD LIGHTS

## LED FLOOD LIGHT

300 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-S-G04-300WAT3B1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 38000LM

**Input Power:** 300W

**Viewing Angle:** 150° - 85° (TYPE III)


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED FULL-CUTOFF WALL PACK LIGHTS



**V LIGHTS LLC**  
LED LIGHTS

# LED FULL-CUTOFF

## FULL-CUTOFF WALL PACK OFF

80 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-FWP01-80CT4A1-abc

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 10000LM

**Input Power:** 80W

**Viewing Angle:** 155°x95°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



**CHART:**



# LED FULL-CUTOFF

## FULL-CUTOFF WALL PACK LIGHT

40 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-RWP02-40WCT1NA1-aaK

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 5200LM

**Input Power:** 40W

**Viewing Angle:** 60°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:





# LED FULL-CUTOFF

## FULL-CUTOFF WALL PACK LIGHT

80 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-RWP02-80WCT1NA1-aaK

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 10800LM

**Input Power:** 80W

**Viewing Angle:** 60°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED FULL-CUTOFF

## FULL-CUTOFF WALL PACK LIGHT

120 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-RWP02-120WCT1NA1-aaK

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 15600LM

**Input Power:** 120W

**Viewing Angle:** 60°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED GARDEN LIGHT



**V LIGHTS LLC**  
LED LIGHTS

# LED GARDEN LIGHT

## LED GARDEN LIGHT

75 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-G502-75WSAT2A1-abcde

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 9600LM

**Input Power:** 75W

**Viewing Angle:** 90°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED GARDEN LIGHT

## LED GARDEN LIGHT

100 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-G502-100WFAT2F1-abcde

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 12800LM

**Input Power:** 100W

**Viewing Angle:** 90°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED GARDEN LIGHT

## LED GARDEN LIGHT

150 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-GS02-150WSAT2A1-abcde

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 19200LM

**Input Power:** 150W

**Viewing Angle:** 90°

**Input Voltage:** 100-277Vac 50/60Hz


**PF:** >0.9

**Waterproof Rating:** WET (IP65)



LISTED

**CHART:**



**V LIGHTS LLC**  
LED LIGHTS

# LED LINEAR HIGH BAY LIGHT



**V LIGHTS LLC**  
LED LIGHTS

# LED LINEAR HIGH BAY LIGHT

## LED LINEAR HIGH BAY LIGHT

110 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-PH803-110WRAFP1C1-abd

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 14000LM

**Input Power:** 110W

**Viewing Angle:** 110°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS



# LED LINEAR HIGH BAY LIGHT

## LED LINEAR HIGH BAY LIGHT

165 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-PHB03-165WRAFP1C1-abd

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 20600LM

**Input Power:** 165W

**Viewing Angle:** 110°

**Input Voltage:** 100-277Vac 50/60Hz


**PF:** >0.9

**Waterproof Rating:** WET (IP65)



LISTED

### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED LINEAR HIGH BAY LIGHT

## LED LINEAR HIGH BAY LIGHT

220 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-PHB03-220WRAFP1C1-abd

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 27600LM

**Input Power:** 220W

**Viewing Angle:** 110°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED MINI WALL PACK LIGHT



**V LIGHTS LLC**  
LED LIGHTS LLC

# LED MINI WALL PACK LIGHT

## MINI WALL PACK

15 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-MWP03-15WBFA1-abc

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 2030LM

**Input Power:** 15W

**Viewing Angle:** 100°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED MINI WALL PACK LIGHT

## MINI WALL PACK

30 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-MWP03-30WBFA1-abc

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 3900LM

**Input Power:** 30W

**Viewing Angle:** 100°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED SEMI-CUTOFF WALL PACK LIGHT



**V LIGHTS LLC**  
LED LIGHTS

# LED SEMI-CUTOFF WALL PACK

## LED SEMI-CUTOFF WALL PACK

55 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-SWP01-55AA1-abc

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 7100LM

**Input Power:** 55W

**Viewing Angle:** 110°

**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED SEMI-CUTOFF WALL PACK

## LED SEMI-CUTOFF WALL PACK

80 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-SWP01-80AA1-abc

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 10200LM

**Input Power:** 80W

**Viewing Angle:** 110°

**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:





# LED SEMI-CUTOFF WALL PACK

## LED WALL PACK LIGHT

100 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-WP4-100WAB1-aaK

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 13000LM

**Input Power:** 100W

**Viewing Angle:** 100°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED SEMI-CUTOFF WALL PACK

## LED WALL PACK LIGHT

120 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-WP4-120WAB1-aaK

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 5600LM

**Input Power:** 120W

**Viewing Angle:** 100°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED PARKING LOT LIGHT



**V LIGHTS LLC**  
LED LIGHTS

# LED PARKING LOT LIGHT

## LED PARKING LOT LIGHT

150 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-S150HLT3YA1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 19500LM

**Input Power:** 150W

**Viewing Angle:** 150°85 Degree (Type III)


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED PARKING LOT LIGHT

## LED PARKING LOT LIGHT

240 WATTS

### PRODUCT SPECIFICATION:


**Model:** ALS-S240WAT3ZA1  
**Color Temperature:** 5700K  
**CRI:** >70  
**Lumen:** 33600LM  
**Input Power:** 240W  
**Viewing Angle:** 150°85 Degree (Type III)  
**Input Voltage:** 100-277Vac 50/60Hz  
**PF:** >0.9  
**Waterproof Rating:** WET (IP65)



DM



### CHART:



AM

# LED PARKING LOT LIGHT

## LED PARKING LOT LIGHT

300 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-S300WAT3ZA1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 41000LM

**Input Power:** 300W

**Viewing Angle:** 150°85 Degree (Type III)


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



# LED PARKING LOT LIGHT

## LED PARKING LOT LIGHT

300 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-S300WAT3ZH1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 37500LM

**Input Power:** 300W

**Viewing Angle:** 150°85 Degree (Type III)

**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9


**Waterproof Rating:** WET (IP65)



AM



### CHART:



AM

# LED PARKING LOT LIGHT

## LED PARKING LOT LIGHT

450 WATTS



AM

### PRODUCT SPECIFICATION:

**Model:** ALS-S-G07-450WCT3B-1

**Color Temperature:** 5700K

**CRI:** >70

**Lumen:** 60750LM

**Input Power:** 450W

**Viewing Angle:** 150°85 Degree (Type III)


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)




### CHART:



AM



# LED UFO HIGH BAY LIGHT




**V LIGHTS LLC**  
LED LIGHTS

# LED UFO HIGH BAY LIGHT

## UFO HIGH BAY LIGHT

100/150 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-HB07-100WSACGD1-abcd

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 13000 / 19000LM

**Input Power:** 100W / 150W

**Viewing Angle:** 110°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:




**V LIGHTS LLC**  
LED LIGHTS

# LED UFO HIGH BAY LIGHT

## UFO HIGH BAY LIGHT

240 WATTS



### PRODUCT SPECIFICATION:

**Model:** ALS-HB07-240WSACGD1-abcd

**Color Temperature:** 5700K

**CRI:** >80

**Lumen:** 34800LM

**Input Power:** 240W

**Viewing Angle:** 110°


**Input Voltage:** 100-277Vac 50/60Hz

**PF:** >0.9

**Waterproof Rating:** WET (IP65)



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# INDOOR LIGHTS



**V LIGHTS LLC**  
LED LIGHTS

# LED FLUSHMOUNT LIGHT



**V LIGHTS LLC**  
LED LIGHTS

# LED FLUSHMOUNT

## LED FLUSHMOUNT

30 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-CL040F-WH-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 1950LM

**Input Power:** 30W

**Input Voltage:** 120V

**Dimmable:** Yes

**Material:** Aluminium with Acrylic

**Housing Color:** Painting White


**Base:** Led Integrated

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED FLUSHMOUNT

## LED FLUSHMOUNT

25 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-CL201HX-8N-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 1800LM

**Input Power:** 25W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Steel with white acrylic


**Housing Color:** Brushed Nickel

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED FLUSHMOUNT

## LED FLUSHMOUNT

23 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-CL012-8N-30K

**Color Temperature:** 3000K

**CRI:** >80

**Lumen:** 1400LM

**Input Power:** 23W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led Integrated

**Material:** steel+ fabric

+white acrylic diffuser ( beige linen )


**Housing Color:** Brushed Nickel

**Waterproof Rating:** [IP64]

**Lifespan:** 50000 Hours



### CHART:





# LED INDOOR WALL SCONCE



**V LIGHTS LLC**  
LED LIGHTS

# LED INDOOR WALL SCONCE

## LED INDOOR WALL SCONCE

09 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL084-BK-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 450LM

**Input Power:** 09W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led Integrated

**Material:** Aluminum+White Acrylic


**Housing Color:** Painting Matte Black

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED VANITY LAMP



**V LIGHTS LLC**  
LED LIGHTS

# LED VANITY LAMP

## LED VANITY LAMP

25 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-BL103-BN-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 1600LM

**Input Power:** 25W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led Integrated

**Material:** Steel with Glass


**Housing Color:** Brushed Nickel with opal glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED VANITY LAMP

## LED VANITY LAMP

25 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-LEDVL06DC25-BN-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 1500LM

**Input Power:** 25W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led Integrated

**Material:** Steel with Acrylic

**Housing Color:** Brushed Nickel with white acrylic


**Waterproof Rating:** [IP64]

**Lifespan:** 50000 Hours

**Length:** 2FT



### CHART:



# LED VANITY LAMP

## LED VANITY LAMP

30 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-LEDVL06DC30-8N-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 1900LM

**Input Power:** 30W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led Integrated

**Material:** Steel with Acrylic

**Housing Color:** Brushed Nickel with white acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours

**Length:** 3FT



### CHART:



**V LIGHTS LLC**  
LED LIGHTS



# LED VANITY LAMP

## LED VANITY LAMP

25 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-BL403-8N-30K

**Color Temperature:** 3000K

**CRI:** >80

**Lumen:** 1600LM

**Input Power:** 25W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led Integrated

**Material:** Steel with Opal Glass



**Housing Color:** Brushed Nickel with Opal Glass

**Waterproof Rating:** [IP64]

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS



# LED VANITY LAMP

## LED VANITY LAMP

25 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-BL403-8N-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 1600LM

**Input Power:** 25W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led Integrated

**Material:** Steel with Opal Glass



**Housing Color:** Brushed Nickel with Opal Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

25 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-LEDWL0003AC-TB-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 300LM

**Input Power:** 25W

**Input Voltage:** 120V-277V

**Dimmable:** yes

**Base:** Led integrated

**Material:** Aluminum with Glass


**Housing Color:** Textured Black with Frosted Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

12 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-WL045A-SLV-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 600LM

**Input Power:** 12W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Aluminum with Acrylic


**Housing Color:** Painting Silver Black with White Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

20 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-WL045B-SLV-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 1100LM

**Input Power:** 20W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Aluminum with Acrylic


**Housing Color:** Painting Silver with White Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

08 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-LEDWL001DC-BK-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 300LM

**Input Power:** 08W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Aluminum with Glass

**Housing Color:** Painting Matte Black with


Outer clear & Inner Opal Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

10 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-LEDWL002DC-8K-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 300LM

**Input Power:** 10W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Aluminum with Glass

**Housing Color:** Painting Matte Black with


Outer clear & Inner Opal Glass

**Waterproof Rating:** [IP64]

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

15 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL0028AC-BK-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 800LM

**Input Power:** 15W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Aluminum with Acrylic


**Housing Color:** Painting Matte Black with White Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:





# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

12 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL059AC12-ORB-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 700LM

**Input Power:** 12W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led integrated

**Material:** Steel with Glass


**Housing Color:** Painting Oil Ruber Brown with Water Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

06 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL072AC6-8K-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 300LM

**Input Power:** 06W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led integrated

**Material:** Aluminum with Acrylic



**Housing Color:** Painting Matte Black with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

15 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL032-ORB-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 800LM

**Input Power:** 15W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Stainless with Acrylic


**Housing Color:** Painting Oil Ruber Brown with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

24 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL034-ORB-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 1200LM

**Input Power:** 24W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Stainless with Acrylic


**Housing Color:** Painting Oil Ruber Brown with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

28 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL035-ORB-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 1500LM

**Input Power:** 28W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Stainless with Acrylic


**Housing Color:** Painting Oil Ruber Brown with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

18 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL080AC18-BK-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 1400LM

**Input Power:** 18W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led integrated

**Material:** Aluminum with Acrylic


**Housing Color:** Painting Matte Black with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

12 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-LEDWL0001AC-WH-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 700LM

**Input Power:** 12W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Aluminum with Acrylic



**Housing Color:** Painting White with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

18 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-LEDWL0002AC-WH-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 1400LM

**Input Power:** 18W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Aluminum with Acrylic

**Housing Color:** Painting White with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:





# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

24 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-WL007AC-BN-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 1500LM

**Input Power:** 24W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Aluminum with Glass



**Housing Color:** Brushed Nickel with Frosted Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

20 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL078-BK-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 1000LM

**Input Power:** 20W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led integrated

**Material:** Aluminum with Glass


**Housing Color:** Brushed Nickel with Frosted Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

11.5 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL056A-TB-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 450LM

**Input Power:** 11.5W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Aluminum with Glass


**Housing Color:** Textured Black with Bubble Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

11.5 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL090B-TB-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 450LM

**Input Power:** 11.5W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led Integrated

**Material:** Aluminum with Glass


**Housing Color:** Textured Black with Bubble Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

09 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL071-TB-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 300LM

**Input Power:** 09W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led integrated

**Material:** Aluminum with Glass


**Housing Color:** Textured Black with Bubble Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED OUTDOOR WALL LAMP

## LED OUTDOOR WALL LAMP

38 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-WL087-BK-50K

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 2400LM

**Input Power:** 38W

**Input Voltage:** 120V-277V

**Dimmable:** No

**Base:** Led integrated

**Material:** Aluminum with Glass


**Housing Color:** Matte Black with Frosted Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED MINI-PENDANT



**V LIGHTS LLC**  
LED LIGHTS

# LED MINI-PENDANT

## LED MINI-PENDANT

09 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PD148-BN-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 500LM

**Input Power:** 09W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Steel with Glass

**Housing Color:** Brushed Nickel with Opal Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS



# LED MINI-PENDANT

## LED MINI-PENDANT

08 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PD145-BK-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 200LM

**Input Power:** 08W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Steel

**Housing Color:** Painting Matte Black

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED MINI-PENDANT

## LED MINI-PENDANT

08 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PD127A-CH-30K  
**Color Temperature:** 3000K/5000K  
**CRI:** >80  
**Lumen:** 400LM  
**Input Power:** 08W  
**Input Voltage:** 120V-277V  
**Dimmable:** Yes  
**Base:** Led integrated  
**Material:** Steel with Glass  
**Housing Color:** Chrome with  
Outer Clear Glass with Bubble Glass  
**Waterproof Rating:** (IP64)  
**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED MINI-PENDANT

## LED MINI-PENDANT

30 WATTS




### PRODUCT SPECIFICATION:

**Model:** LXA-PD127C-CH-30K  
**Color Temperature:** 3000K/5000K  
**CRI:** >80  
**Lumen:** 1700LM  
**Input Power:** 30W  
**Input Voltage:** 120V-277V  
**Dimmable:** Yes  
**Base:** Led Integrated  
**Material:** Steel with Glass  
**Housing Color:** Chrome with  
Outer Clear Glass with Bubble Glass  
**Waterproof Rating:** (IP64)  
**Lifespan:** 50000 Hours



### CHART:



# LED MINI-PENDANT

## LED MINI-PENDANT

08 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PD150A-8K-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 400LM

**Input Power:** 08W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Steel with Glass

**Housing Color:** Matte black with Bubble Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# LED MINI-PENDANT

## LED MINI-PENDANT

35 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-PD150A-8K-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 2000LM

**Input Power:** 35W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Steel with Glass


**Housing Color:** Matte black with Bubble Glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours




### CHART:



**V LIGHTS LLC**  
LED LIGHTS

## LED VANITY



**V LIGHTS LLC**  
LED LIGHTS

# LED VANITY

## LED VANITY

23 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-BL313HX-BN-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 1150LM

**Input Power:** 23W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Steel with Glass

**Housing Color:** Brushed Nickel with clear glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:

# LED MINI-PENDANT

## LED MINI-PENDANT

08 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PD141-BN-30k

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 500LM

**Input Power:** 08W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Steel with Glass

**Housing Color:** Brushed Nickel with clear glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:





# LED CHANDELIER



**V LIGHTS LLC**  
LED LIGHTS

# LED CHANDELIER

## LED CHANDELIER

45 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PD143-BN-40K

**Color Temperature:** 4000K

**CRI:** >80

**Lumen:** 2850LM

**Input Power:** 45W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:** Steel with Glass


**Housing Color:** Brushed Nickel with outer clear glass

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# GIMBAL DOWNLIGHT



**V LIGHTS LLC**  
LED LIGHTS

# GIMBAL DOWNLIGHT

## GIMBAL DOWNLIGHT

09 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-SDL200AC409-WH-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 540LM

**Input Power:** 09W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:**



**Housing Color:** Painting White with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# GIMBAL DOWNLIGHT

## GIMBAL DOWNLIGHT

12 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-SDL200AC612-WH-30K

**Color Temperature:** 3000K/5000K

**CRI:** >80

**Lumen:** 750LM

**Input Power:** 12W

**Input Voltage:** 120V-277V

**Dimmable:** Yes

**Base:** Led Integrated

**Material:**



**Housing Color:** Painting White with Acrylic

**Waterproof Rating:** (IP64)

**Lifespan:** 50000 Hours



### CHART:



# ULTRA SLIM LED PANEL LIGHT



**V LIGHTS LLC**  
LED LIGHTS

# ULTRA SLIM LED PANEL LIGHTS

## 5" Round Panel

6 WATTS




### PRODUCT SPECIFICATION:

**Model:** LXA-PLR5-6-XX-Y  
**Color Temperature:** 3000K - 6000K  
**CRI:** >80  
**Lumen:** 400LM  
**Input Power:** 6W  
**Input Voltage:** 120V  
**Dimmable:** TRIAC  
**Base:** Led integrated  
**Waterproof Rating:** (IP64)  
**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# ULTRA SLIM LED PANEL LIGHTS

## 7" Round Panel

12 WATTS




### PRODUCT SPECIFICATION:

**Model:** LXA-PLR7-12-XX-Y  
**Color Temperature:** 3000K - 6000K  
**CRI:** >80  
**Lumen:** 860LM  
**Input Power:** 12W  
**Input Voltage:** 120V  
**Dimmable:** TRIAC  
**Base:** Led integrated  
**Waterproof Rating:** (IP64)  
**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS



# ULTRA SLIM LED PANEL LIGHTS

## 9" Round Panel


18 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-PLR9-18-XX-Y  
**Color Temperature:** 3000K - 6000K  
**CRI:** >80  
**Lumen:** 1260LM  
**Input Power:** 18W  
**Input Voltage:** 120V  
**Dimmable:** TRIAC  
**Base:** Led integrated  
**Waterproof Rating:** (IP64)  
**Lifespan:** 50000 Hours



### CHART:



# ULTRA SLIM LED PANEL LIGHTS

## 12" Round Panel


24 WATTS

### PRODUCT SPECIFICATION:

**Model:** LXA-PLR12-24-XX-Y  
**Color Temperature:** 3000K - 6000K  
**CRI:** >80  
**Lumen:** 1680LM  
**Input Power:** 24W  
**Input Voltage:** 120V  
**Dimmable:** TRIAC  
**Base:** Led integrated  
**Waterproof Rating:** (IP64)  
**Lifespan:** 50000 Hours



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED PAR30

## LED PAR30 DSN

11 WATTS




### PRODUCT SPECIFICATION:

**Model:** LXXA-PAR30DSN -11W  
**Color Temperature:** 3000K/4000K/5000K  
**CRI:** >80  
**Lumen:** 850LM  
**Input Power:** 11W  
**Input Voltage:** 120V  
**Base Type:** E26  
**Waterproof Rating:** (IP64)  
**Lifespan:** 25000 Hours



### CHART:



# LED PAR30

## LED PAR30

11 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PAR30D-11W  
**Color Temperature:** 3000K/4000K/5000K  
**CRI:** >80  
**Lumen:** 850LM  
**Input Power:** 11W  
**Input Voltage:** 120V  
**Base Type:** E26  
**Waterproof Rating:** (IP64)  
**Lifespan:** 15000 Hours



### CHART:



# LED PAR38

## LED PAR38

15 WATTS



### PRODUCT SPECIFICATION:

**Model:** LXA-PAR38D-15W  
**Color Temperature:** 3000K/4000K/5000K  
**CRI:** >80  
**Lumen:** 1250LM  
**Input Power:** 15W  
**Input Voltage:** 120V  
**Base Type:** E26  
**Waterproof Rating:** (IP64)  
**Lifespan:** 15000 Hours



### CHART:



# LED WALL LIGHT



**V LIGHTS LLC**  
LED LIGHTS

# LED WALL LIGHT

## LED WALL LIGHT

10 WATTS

### PRODUCT SPECIFICATION:

**Model:** PL-UPD-5x1W-2S

**Beam angle:** 15° 30° 60°

**Shell material:** Aluminum + Tempered glass

**Lumen:** 80-90LM/W


**Input Power:** 10W

**Input Voltage:** 120V

**LED Color:** W/WW/R/G/B/RGB

**Housing Color:** Bronze / Grey / Black

**Lifespan:** 50000 Hours



# LED WALL LIGHT

## LED WALL LIGHT

12 WATTS

### PRODUCT SPECIFICATION:

**Model:** PL-UPD-6X1W-2S

**Beam angle:** 15° 30° 60°

**Shell material:** Aluminum + Tempered glass

**Lumen:** 80-90LM/W

**Input Power:** 12W

**Input Voltage:** 120V

**LED Color:** W/WW/R/G/B/RGB

**Housing Color:** Bronze / Grey / Black

**Lifespan:** 50000 Hours





# LED DISK LIGHT

## LED DISK LIGHT

15 WATTS



### PRODUCT SPECIFICATION:

**Model:** LED DISK LIGHT 15W  
**Color Temperature:** 3000K/5000K  
**CRI:** >90  
**Lumen:** 1050LM  
**Input Power:** 15W  
**Input Voltage:** 120V  
**Dimmable:** Yes  
**Base:** Led integrated  
**Waterproof Rating:** (IP64)  
**Lifespan:** 50000 Hours



### CHART:



# LED COOLER LIGHT

## LED COOLER LIGHT

18 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-TBV1218T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 2160LM  
**Input Power:** 18W  
**Input Voltage:** 100-250V  
**Beam Angle:** 170°  
**Base:** Led integrated  
**Waterproof Rating:** (IP44)  
**Length:** 4ft



### CHART:



# LED COOLER LIGHT

## LED COOLER LIGHT

32 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-TBV1532T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 3840LM  
**Input Power:** 32W  
**Input Voltage:** 100-250V  
**Beam Angle:** 170°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP44)  
**Length:** 5ft



### CHART:



# LED COOLER LIGHT

## LED COOLER LIGHT

40 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-TBV1840T

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 4800LM

**Input Power:** 32W

**Input Voltage:** 100-250V

**Beam Angle:** 170°

**Base:** Led integrated

**Waterproof Rating:** (IP44)

**Length:** 6ft



### CHART:



# LED T-BAR LIGHT

## 2\*2 T-BAR LIGHT


40 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-FL2\*2-40-CC  
**Color Temperature:** 5000K  
**CRI:**>80  
**Lumen:** 4800LM  
**Input Power:** 40W  
**Input Voltage:**100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP40)



### CHART:



# LED T-BAR LIGHT

## 2\*4 T-BAR LIGHT


72 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-FL2\*4-72-CC  
**Color Temperature:** 6500K  
**CRI:** >80  
**Lumen:** 6600LM  
**Input Power:** 72W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led integrated  
**Waterproof Rating:** (IP40)



### CHART:



# BACK-LIT LED PANEL LIGHT

## BACK-LIT LED PANEL LIGHT


40 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-BL2\*2-40-CC  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 4400LM  
**Input Power:** 40W  
**Input Voltage:** 100-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP40)  
**Length:** 2\*2FT



### CHART:



# BACK-LIT LED PANEL LIGHT

## BACK-LIT LED PANEL LIGHT

49/72 WATTS




### PRODUCT SPECIFICATION:

**Model:** ALS-BL2\*4-55-CC  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 6050LM  
**Input Power:** 55W  
**Input Voltage:** 100-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP40)  
**Length:** 2\*4FT



### CHART:



**V LIGHTS LLC**  
LED LIGHTS



# BALLAST COMPATIBLE LIGHT

## BALLAST COMPATIBLE LIGHT

18 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-TBJ1218R02  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 2160LM  
**Input Power:** 18W  
**Input Voltage:** 90-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 4FT



### CHART:



# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

10 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8Y0610T  
**Color Temperature:** 6500K  
**CRI:** >80  
**Lumen:** 1200LM  
**Input Power:** 10W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 2FT



### CHART:



# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

22 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8Y1222T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 2640LM  
**Input Power:** 22W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 4FT



### CHART:



# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

45 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8Y2445X  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 5400LM  
**Input Power:** 45W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 8FT



### CHART:



# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

60 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8Y2460X  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 7200LM  
**Input Power:** 60W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 8FT



### CHART:



# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

22 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8W1222T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 2640LM  
**Input Power:** 22W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 4FT



### CHART:



# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

32 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8W1532T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 3840LM  
**Input Power:** 32W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 5FT



### CHART:



# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

36 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8W1836T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 4320LM  
**Input Power:** 36W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 6FT



### CHART:





# LED INTEGRATED TUBE LIGHT

## LED INTEGRATED TUBE LIGHT

60 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8W2460T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 7200LM  
**Input Power:** 60W  
**Input Voltage:** 100-250V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 8FT



### CHART:



# LED TROFFER FIXTURE LIGHT

## LED TROFFER FIXTURE LIGHT

40 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-TF2\*2-Q01-40-CC  
**Color Temperature:** 4000K/5000K  
**CRI:** >80  
**Lumen:** 5200LM  
**Input Power:** 40W  
**Input Voltage:** 100-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP40)  
**Length:** 2x2FT



### CHART:



# LED TROFFER FIXTURE LIGHT

## LED TROFFER FIXTURE LIGHT


49 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-TF2\*2-Q01-K40-CC  
**Color Temperature:** 4000K/5000K/6000K  
**CRI:** >80  
**Lumen:** 5200LM  
**Input Power:** 49W  
**Input Voltage:** 100-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP40)  
**Length:** 2x4FT



### CHART:



# LED TROFFER FIXTURE LIGHT

## LED TROFFER FIXTURE LIGHT

72 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-TF2\*4-Q01-50-CC  
**Color Temperature:** 4000K/5000K/6000K  
**CRI:** >80  
**Lumen:** 6500LM  
**Input Power:** 72W  
**Input Voltage:** 100-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP40)  
**Length:** 2x4FT



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# SINGLE PIN LED T8 TUBE LIGHT

## SINGLE PIN LED T8 TUBE LIGHT

45 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8B2445X(TypeB)

**Color Temperature:** 5000K

**CRI:** >80

**Lumen:** 5400LM

**Input Power:** 45W

**Input Voltage:** 90-277V

**Beam Angle:** 120°


**Base:** Led Integrated

**Waterproof Rating:** (IP20)

**Length:** 8FT



### CHART:



**V LIGHTS LLC**  
LED LIGHTS

# LED T8 TUBE LIGHT

## LED T8 TUBE LIGHT


10 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8F0610T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 1200LM  
**Input Power:** 10W  
**Input Voltage:** 90-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 2FT



### CHART:



# LED T8 TUBE LIGHT

## LED T8 TUBE LIGHT


18 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8F1218T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 2160LM  
**Input Power:** 18W  
**Input Voltage:** 90-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 4FT



### CHART:



# LED T8 TUBE LIGHT

## LED T8 TUBE LIGHT


22 WATTS

### PRODUCT SPECIFICATION:

**Model:** ALS-T8F1222T  
**Color Temperature:** 5000K  
**CRI:** >80  
**Lumen:** 2640LM  
**Input Power:** 22W  
**Input Voltage:** 90-277V  
**Beam Angle:** 120°  
**Base:** Led Integrated  
**Waterproof Rating:** (IP20)  
**Length:** 4FT



### CHART:





**Email: [info@vlightsllc.com](mailto:info@vlightsllc.com)**  
**[www.vlightsllc.com](http://www.vlightsllc.com)**

V Lights LLC 10713 Gulf Fwy Houston Texas 77034  
7139431461

