



LED Vapor Tight Light

SZ-VT54W-4FTM-5000K (ACP)

Advantage:


- UL certificate
- 2835 Chip, CRI 80
- Input voltage 100-277VAC
- Ingress Protection: IP65
- Easy to install and operate
- Energy saving, long lifespan
- Adjustable CCT and power
- Green and eco-friendly without mercury.



Application:

Wet areas, Outside walkways, Warehouses, Storage areas,
Industrial units, Garages, Workshops, Car parks.

4FT



Product Specifications

Product Name	LED Vapor Tight
Light Type	SZ-VT54W-4FTM-5000K (ACP)
Dimension	1200*95*80mm

Technical Characteristic

Color temperature	Adjustable CCT:3000K/4000K/5000K
CRI	>80
Lumen Efficacy	130LM/W
Input Power	Adjustable Power:30W/40W/54W
Viewing Angle	120 Degree
Input Voltage	100-277V 50/60Hz
Driver model	China Brand driver, (0-10Vdc Dimmer)
PF	>0.9
Waterproof Rating	IP65

Materials

LED Type	2835
LED QTY	480PCS
Housing	PC
Housing color	Gray
Cover	PC Milky
Operating Temperature	-40°C TO 45°C
Operating Humidity	10%-90% RH
Storage Temperature	-40°C TO 80°C

Others

Storage Humidity	10%-95%
Application	Outdoor
Safety Certification	UL
Warranty Time	5 Years

Product details




The mounting brackets keep adjustable space for easy correction.



The light transmittance of PC cover is up to 92%. The integrated design of Lens Cover and LED Plate is more convenient to install and use.



The fixed clips are elegant, secure and easy to use.

Luminaire photometric
Cone illuminance Diagram:

Luminous Intensity Distribution Diagram:

Package

Model	Net Weight	Size	Qty/Carton	Weight/Carton
SZ-VT54W-4FTM-5000K (ACP)	16KG	1220*300*290MM	9	19.1KG